



**TERMA**

SINCE 1990



## Dafne (Pi)


CLASSIC

METALLIC SILVER // 800 — 425 // Cutoff valve // 3-axis thermostatic valve + “Slim” thermostatic head

### version with towel rail

METALLIC SILVER // 800 — 425 // 50 mm connection valve + “Slim” thermostatic head







Version without towel rail.  
Radiator available in the following heights: 530




Standard connections:



Available on demand:



Sizes available:




Version without towel rail. Radiator available  
in the following heights: 800, 1000, 1200, 1400 and 1600




Standard connections:



Available on demand:




Sizes available:





A	B	C	C'	C''	C'''	75° 65° 20°	55° 45° 20°		D	E	F		
[mm]	[mm]	[mm]	[mm]	[mm]	[mm]	[W]	[W]	[W]	[mm]	[mm]	[mm]	[dm³]	[Kg]
530	425	50	395	500	425	260	133	-	395	350	90	2,7	5,3
530	600	50	570	500	600	367	187	-	570	350	90	3,7	7,2
530	810	50	780	500	810	495	253	-	780	350	90	4,8	9,5
530	1125	50	1095	500	1125	688	351	-	1095	350	90	6,5	12,9
530	1475	50	1445	500	1475	900	459	-	1445	350	90	8,4	16,7
800	425	50	395	770	425	390	199	-	395	620	90	3,9	7,7
800	600	50	570	770	600	550	281	-	570	620	90	5,3	10,5
1000	425	50	395	970	425	480	245	-	395	820	90	4,8	9,5
1000	600	50	570	970	600	677	345	-	570	820	90	6,5	12,9
1000	810	50	780	970	810	914	466	-	780	820	90	8,4	17,0
1200	425	50	395	1170	425	580	296	-	395	1020	90	5,7	11,3
1200	600	50	570	1170	600	520	418	-	570	1020	90	7,6	15,4
1200	810	50	780	1170	810	1107	565	-	780	1020	90	10,0	20,2
1400	425	50	395	1370	425	664	339	-	395	1220	90	6,6	13,1
1400	600	50	570	1370	600	938	479	-	570	1220	90	8,8	17,8
1400	810	50	780	1370	810	1266	646	-	780	1220	90	11,5	23,4
1600	425	50	395	1570	425	753	384	-	395	1420	90	7,5	14,9
1600	600	50	570	1570	600	1063	542	-	570	1420	90	10,0	20,2
1600	810	50	780	1570	810	1435	732	-	780	1420	90	13,1	26,7

Version without towel rail.  
Radiator available in the following heights: 530


P3




P2




L6




SX



VL, YL




VP, YP




Version without towel rail.  
Radiator available in the following heights: 800, 1000, 1200, 1400 and 1600


P2




ZX




SX



YL




YP




Radiator Collector


Profile




Version with towel rail.  
Radiator available in the following heights: 530




Standard connections:




Available on demand:



Sizes available:




Version with towel rail. Radiator available  
in the following heights: 800, 1000, 1200, 1400 and 1600




Standard connections:



Available on demand:




Sizes available:




A	B	C	C'	C''	C'''	75° 65° 20°	55° 45° 20°		D	E	F		
[mm]	[mm]	[mm]	[mm]	[mm]	[mm]	[W]	[W]	[W]	[mm]	[mm]	[mm]	[dm³]	[Kg]
530	425	50	395	500	425	260	133	-	395	350	90	2,8	5,5
530	600	50	570	500	600	367	187	-	570	350	90	3,8	7,6
530	810	50	780	500	810	495	253	-	780	350	90	5,1	10,0
530	1125	50	1095	500	1125	688	351	-	1095	350	90	6,9	13,7
530	1475	50	1445	500	1475	900	459	-	1445	350	90	8,9	17,7
800	425	50	395	770	425	390	199	-	395	620	90	4,2	8,3
800	600	50	570	770	600	550	281	-	570	620	90	5,6	11,3
1000	425	50	395	970	425	480	245	-	395	820	90	5,2	10,3
1000	600	50	570	970	600	677	345	-	570	820	90	7,0	14,1
1000	810	50	780	970	810	914	466	-	780	820	90	9,2	18,6
1200	425	50	395	1170	425	580	296	-	395	1020	90	6,1	12,1
1200	600	50	570	1170	600	820	418	-	570	1020	90	8,2	16,5
1200	810	50	780	1170	810	1107	565	-	780	1020	90	10,7	21,8
1400	425	50	395	1370	425	664	339	-	395	1220	90	7,1	14,2
1400	600	50	570	1370	600	938	479	-	570	1220	90	9,6	19,4
1400	810	50	780	1370	810	1266	646	-	780	1220	90	12,5	25,6
1600	425	50	395	1570	425	753	384	-	395	1420	90	8,0	16,0
1600	600	50	570	1570	600	1063	542	-	570	1420	90	10,8	21,8
1600	810	50	780	1570	810	1435	732	-	780	1420	90	14,1	28,8

Version with towel rail.  
Radiator available in the following heights: 530



Version with towel rail.  
Radiator available in the following heights: 800, 1000, 1200, 1400 and 1600



Radiator Collector Profile

