



TERMA
SINCE 1990



Vera

SPARKLING BROWN // 1700 — 430 // 50 mm connection valve + “Noble” thermostatic head


LUX

Verus

NOBLE GOLD // 1700 — 280 // 50 mm connection valve + “Slim” thermostatic head








Standard connections:




Sizes available:





A	B	C	C'	75° 65° 20°	55° 45° 20°		D	E	F		
[mm]	[mm]	[mm]	[mm]	[W]	[W]	[W]	[mm]	[mm]	[mm]	[dm³]	[Kg]
1700	430	50	-	1122	583	-	240	1600	50	14,3	26,9
1900	430	50	-	1255	652	-	240	1800	50	15,9	29,8

ZX



Radiator Collector


Profile




Standard version



Standard connections:



Sizes available:




Corner version



Standard connections:




Sizes available:



A	B	C	C'	75° 65° 20°	55° 45° 20°		D	E	F		
[mm]	[mm]	[mm]	[mm]	[W]	[W]	[W]	[mm]	[mm]	[mm]	[dm³]	[Kg]
Standard version											
1700	280	50	220	953	492	1000	120	1600	50	11,4	21,9
1900	280	50	220	1053	548	1000	120	1800	50	12,8	24,2
Corner version											
1700	280	50	220	953	492	1000	120	1600	50	11,4	21,9
1900	280	50	220	1053	548	1000	120	1800	50	12,8	24,2
Electric version											
1700	280	–	–	–	–	1000	120	1500	50	11,4	21,9
1900	280	–	–	–	–	1000	120	1700	50	12,8	24,2


Standard version

ZX




Standard eversion

EX




Corner version

ZX




SX



Corner version

EX



Radiator Collector

Profile

